



DAMEN STAN TUG[®] RANGE

STAN LAUNCH 804

LENGTH O.A.	8.44 m
BEAM O.A.	3.52 m
DEPTH AT SIDES	1.30 m
POWER	89 bkW
BOLLARD PULL	1.0 ton
SPEED	7.0 knots

STAN TUG 1004

LENGTH O.A.	10.67 m
BEAM O.A.	4.52 m
DEPTH AT SIDES	2.05 m
POWER	221 bkW
BOLLARD PULL	4.0 ton
SPEED	8.3 knots

STAN TUG 1205

LENGTH O.A.	13.05 m
BEAM O.A.	5.28 m
DEPTH AT SIDES	2.30 m
POWER	442 bkW
BOLLARD PULL	9.0 ton
SPEED	9.8 knots

STAN TUG 1606

LENGTH O.A.	16.56 m
BEAM O.A.	5.54 m
DEPTH AT SIDES	2.54 m
POWER	896 bkW
BOLLARD PULL (TON)	16.0 ton
SPEED (KN)	11.2 knots

STAN TUG 1907

LENGTH O.A.	19.34 m
BEAM O.A.	7.34 m
DEPTH AT SIDES	3.39 m
POWER RANGE	1.492 bkW
BOLLARD PULL	27.0 ton
SPEED	11.7 knots

STAN TUG 2208

LENGTH O.A.	22.64 m
BEAM O.A.	7.84 m
DEPTH AT SIDES	3.74 m
POWER	2.028 bkW
BOLLARD PULL	38.0 ton
SPEED	12.0 knots

DAMEN STAN TUG SERIES

The Damen Stan Tug Series offers a complete range of harbour, offshore and deep sea tugs, based on thoroughly tested, up-to-date designs and built from high quality Standardized components.

Typical applications:

- Towing operations
- Pushing operations
- Push-pull berthing
- Line handling
- General assistance
- Dredging support
- Offshore towing operations
- Fire fighting/salvage operations

Typical areas of operation:

- Harbours and locks
- Coastal areas
- Deep Sea

STAN TUG 2608

LENGTH O.A.	26.09 m
BEAM O.A.	7.94 m
DEPTH AT SIDES	4.05
POWER	2.610 bkW
BOLLARD PULL	48.0 ton
SPEED	12.8 knots

STAN TUG 2909

LENGTH O.A.	29.24 m
BEAM O.A.	8.84 m
DEPTH AT SIDES	4.40 m
POWER	3.542 bkW
BOLLARD PULL	67.0 ton
SPEED	13.2 knots

STAN TUG 3509

LENGTH O.A.	35.53 m
BEAM O.A.	8.84 m
DEPTH AT SIDES	4.40 m
POWER RANGE	3.542 bkW
BOLLARD PULL	67.0 ton
SPEED	13.2 knots

STAN TUG 4011

LENGTH O.A.	40.75 m
BEAM O.A.	11.22 m
DEPTH AT SIDES	4.90 m
POWER	5.100 bkW
BOLLARD PULL	90.0 ton
SPEED	12.8 knots

STAN TUG 4511

LENGTH O.A.	45.70 m
BEAM O.A.	11.22 m
DEPTH AT SIDES	4.90 m
POWER	5.420 bkW
BOLLARD PULL	100.0 ton
SPEED	13.2 knots

STRONG POINTS

- Short delivery times
- Proven, safe and reliable Standard designs
- Modern durable lined accommodation
- AC + ventilation engine room
- Sound absorbing insulation
- Proven, reliable propulsion systems
- Optima nozzles and streamlined double plate rudders
- Closed cooling water systems diesel engines
- Minimal crew, maximum efficient operation
- Proven heavy duty technologies and systems
- Strong constructions, +/- 30% above class requirements
- Extra local strengthening, heavy duty fendering
- Continuous improvement of Standards
- Corrosion prevention
 - Closed constructions on main deck
 - Neat and continuous welding seams on tanks and exposed areas
 - Moving parts outside of stainless steel
 - Flush deck foundations
 - Durable epoxy paint system

DAMEN STAN TUG® RANGE

DAMEN

DAMEN SHIPYARDS GORINCHEM

Member of the DAMEN SHIPYARDS GROUP



Industrieterrein Avelingen West 20
4202 MS Gorinchem

P.O. Box 1
4200 AA Gorinchem
The Netherlands

phone +31 (0)183 63 99 11
fax +31 (0)183 63 21 89

info@damen.nl
www.damen.nl